Brain Research, 547 (1991) 358–360
Elsevier

Author Index

Abe, K., Xie, F.-J. and Saito, H., Epidermal growth factor enhances short-term potentiation and facilitates induction of long-term potentiation in rat hippocampal slices, 171
Adams, R.N., see Ghasemzedah, B., 162
Alameddine, L., see Wimer, R.E., 275
Alexander, G.M., Laine Brainard, D., Gordon, S.W., Hichens, M., Grothusen, J.R. and Schwartzman, R.J., Dopamine receptor changes in untreated and (+)-PHNO-treated MPTP parkinsonian primates, 181
Anderson, J.P., Carroll, Z., Smulowitz, M. and Lieberburg, I., A possible mechanism of action of the neurotoxic agent iminodiproprionitrile (IDPN): a selective aggregation of the medium and heavy neurofilament polypeptides (NF-M and NF-H), 353
Angelucci, L., see Maccari, S., 7
Antel, J.P., see Moumdjian, R.A., 223
Aoki, E., Semba, R., Mikoshiba, K. and Kashiwamata, S., Predominant localization in glial cells of free L-arginine. Immunocytochemical evidence, 190
Aquilonius, S.M., see Jossan, S.S., 69
d'Argy, R., see Jossan, S.S., 69
Ariano, M.A., Kang, H.C., Haugland, R.P. and Sibley, D.R., Multiple fluorescent ligands for dopamine receptors. II. Visualization in neural tissues, 208
Ariano, M.A., see Barton, A.C., 199

Barazzoni, A.M., see Bortolami, R., 82
Barton, A.C., Kang, H.C., Rinaudo, M.S., Monsma Jr., F.J., Stewart-Fram, R.M., Macinko Jr., J.A., Haugland, R.P., Ariano, M.A. and Sibley, D.R., Multiple fluorescent ligands for dopamine receptors. I. Pharmacological characterization and receptors selectivity, 199
Beczkowska, I.W. and Bodnar, R.J., Mediation of insulin hyperphagia by specific central opiate receptor antagonists, 315
Ben-Eliyahu, S., see Marek, P., 77
Berger, B., see Febvret, A., 37
Blumberg, P.M., see Szallasi, A., 335
Bodnar, R.J., see Beczkowska, I.W., 315
Bortolami, R., Calzà, L., Lucchi, M.L., Giardino, L., Callegari, E., Manni, E., Pettorossi, V.E., Barazzoni, A.M. and Lalatta Costerbosa, G., Peripheral territory and neuropeptides of the trigeminal ganglion neurons centrally projecting through the oculomotor nerve demonstrated by fluorescent retrograde double-labeling combined with immunocytochemistry, 82
Brown, L.M., Leslie, S.W. and Gonzales, R.A., The effects of chronic ethanol exposure on *N*-methyl-D-aspartate-stimulated overflow of [^{3}H]catecholamines from rat brain, 289
Bédard, P.J., see Filion, M., 152

Callegari, E., see Bortolami, R., 82
Calzà, L., see Bortolami, R., 82
Cammack, J., see Ghasemzedah, B., 162
Carroll, Z., see Anderson, J.P., 353
Carvalho, A.P., see Santos, M.S., 135
Chase, M.H., see Chirwa, S.S., 323
Chirwa, S.S., Stafford-Segert, I., Soja, P.J. and Chase, M.H., Strychnine antagonizes jaw-closer motoneuron IPSPs induced by reticular stimulation during active sleep, 323
Clark, F.M. and Proudfit, H.K., The projection of noradrenergic neurons in the A7 catecholamine cell group to the spinal cord in the rat demonstrated by anterograde tracing combined with immunocytochemistry, 279
Clark, W.M., see Madden, K.P., 193
Clementi, F., see Tarelli, F.T., 331
Cohen, A.J., see Wimer, R.E., 275
Cox, W.E., see Davies, D.L., 53
Crandall, J.E., see Schwarting, G.A., 239

Davies, D.L. and Cox, W.E., Delayed growth and maturation of astrocytic cultures following exposure to ethanol: electron microscopic observations, 53
De Costa, B.R., see Herkenham, M., 267
De Vlieger, T.A., see Wildering, W.C., 89
Del Rio, J.A., see Martinez-Guijarro, F.J., 339
Deminière, J.M., see Maccari, S.,7

Eyssel, U.T., see Funke, K., 229
Eyzaguirre, C., see He, S.-F., 258

Fadich, M., see Vernet, O., 319
Febvret, A., Berger, B., Gaspar, P. and Verney, C., Further indication that distinct dopaminergic subsets project to the rat cerebral cortex: lack of colocalization with neurotensin in the superficial dopaminergic fields of the anterior cingulate, motor, retrosplenial and visual cortices, 37
Filion, M. and Tremblay, L., Abnormal spontaneous activity of globus pallidus neurons in monkeys with MPTP-induced parkinsonism, 142
Filion, M., Tremblay, L. and Bédard, P.J., Effects of dopamine agonists on the spontaneous activity of globus pallidus neurons in monkeys with MPTP-induced parkinsonism, 152
FitzGibbon, T., see Funke, K., 229
Funke, K., Eyssel, U.T. and FitzGibbon, T., Retinogeniculate transmission by NMDA and non-NMDA receptors in the cat, 229
Fyffe, R.E.W., Glycine-like immunoreactivity in synaptic boutons of identified inhibitory interneurons in the mammalian spinal cord, 175

Gale, K., see Maggio, R., 1
Gaspar, P., see Febvret, A., 37
Ghasemzedah, B., Cammack, J. and Adams, R.N., Dynamic changes in extracellular fluid ascorbic acid monitored by in vivo electrochemistry, 162
Ghosh, S. and McLean Grogan, W., Decline in cholesteryl ester hydrolase activity of rat brain with progress of experimental allergic encephalomyelitis followed by rebound during recovery, 327
Giardino, L., see Bortolami, R., 82
Gillberg, P.G., see Jossan, S.S., 69
Gold, M., see Marek, P., 77
Gonçalves, P.P., see Santos, M.S., 135
Gonzales, R.A., see Brown, L.M., 289
Gonzalez-Lima, F., see McIntosh, A.R., 295
Gordon, S.W., see Alexander, G.M., 181
Grabowsky, M., Nordborg, C. and Johansson, B.B., Sensorimotor performance and rotation correlate to lesion size in right but not left hemisphere brain infarcts in the spontaneously hypertensive rat, 249
Grant, K.A., see Gulya, K., 129
Grothusen, J.R., see Alexander, G.M., 181
Gulya, K., Grant, K.A., Valverius, P., Hoffman, P.L. and Tabakoff, B., Brain regional specificity and time-course of changes in the NMDA receptor–ionophore complex during ethanol withdrawal, 129
Gulya, K., Kovács, G.L. and Kása, P., Regulation of endogenous calcium and magnesium levels by δ opioid receptors in the rat brain, 22

Halldin, C., see Jossan, S.S., 69
Harrison, N.L., see Lambert, N.A., 349
Haugland, R.P., see Ariano, M.A., 208
Haugland, R.P., see Barton, A.C., 199
He, S.-F., Wei, J.-Y. and Eyzaguirre, C., Intracellular pH and some membrane characteristics of cultured carotid body glomus cells, 258
Herkenham, M., Lynn, A.B., De Costa, B.R. and Richfield, E.K., Neuronal localization of cannabinoid receptors in the basal ganglia of the rat, 267
Heurteaux, C., Ripoll, C., Ouznadji, S., Ouznadji, H., Wissocq, J.-C. and Thellier, M., Lithium transport in the mouse brain, 122
Hichens, M., see Alexander, G.M., 181
Hoffman, P.L., see Gulya, K., 129

Imaki, J., Imaki, T., Vale, W. and Sawchenko, P.E., Distribution of corticotropin-releasing factor mRNA and immunoreactivity in the central auditory system of the rat, 28
Imaki, T., see Imaki, J., 28

Janse, C., see Wildering, W.C., 89
Johansson, B.B., see Grabowsky, M., 249
Jossan, S.S., Gillberg, P.G., d'Argy, R., Aquilonius, S.M., Långström, B., Halldin, C. and Oreland, L., Quantitative localization of human brain monoamine oxidase B by large section autoradiography using L-[^{3}H]deprenyl, 69
Jourdan, M.L., see Nurnberger, F., 115
Jüch, P.J.W., see Minkels, R.F., 13

Kang, H.C., see Ariano, M.A., 208
Kang, H.C., see Barton, A.C., 199
Kashiwamata, S., see Aoki, E., 190
Kochhar, A., see Madden, K.P., 193
Kovács, G.L., see Gulya, K., 22
Kása, P., see Gulya, K., 22

Laine Brainard, D., see Alexander, G.M., 181
Lalatta Costerbosa, G., see Bortolami, R., 82
Lambert, N.A., Harrison, N.L. and Teyler, T.J., Baclofen-induced disinhibition in area CA1 of rat hippocampus is resistant to extracellular Ba^{2+}, 349
Le Feuvre, R.A., Woods, A.J., Stock, M.J. and Rothwell, N.J., Effects of central injection of glucose on thermogenesis in normal, VMH-lesioned and genetically obese rats, 110
Le Moal, M., see Maccari, S., 7
Lee, T.F., see Nurnberger, F., 115
Lemaire, V., see Maccari, S., 7
Leslie, S.W., see Brown, L.M., 289
Lieberburg, I., see Anderson, J.P., 353
Liebeskind, J.C., see Marek, P., 77
Liu, D., Thangnipon, W. and McAdoo, D.J., Excitatory amino acids rise to toxic levels upon impact injury to the rat spinal cord, 344
Lopez-Garcia, C., see Martinez-Guijarro, F.J., 339
Lucchi, M.L., see Bortolami, R., 82
Lynn, A.B., see Herkenham, M., 267
Långström, B., see Jossan, S.S., 69
Lönnberg, P., see Rinne, J.O., 167

Maccari, S., Piazza, P.V., Deminière, J.M., Lemaire, V., Mormède, P., Simon, H., Angelucci, L. and Le Moal, M., Life events-induced decrease of corticosteroid type I receptors is associated with reduced corticosterone feedback and enhanced vulnerability to amphetamine self-administration, 7
Macinko Jr., J.A., see Barton, A.C., 199
Madden, K.P., Clark, W.M., Kochhar, A. and Zivin, J.A., Effect of protein kinase C modulation on outcome of experimental CNS ischemia, 193
Maggio, R., Sohn, E. and Gale, K., Lack of proconvulsant action of GABA depletion in substantia nigra in several seizure models, 1
Manni, E., see Bortolami, R., 82
Marek, P., Ben-Eliyahu, S., Gold, M. and Liebeskind, J.C., Excitatory amino acid antagonists (kynurenic acid and MK-801) attenuate the development of morphine tolerance in the rat, 77
Marjamäki, P., see Rinne, J.O., 167
Martinez-Guijarro, F.J., Soriano, E., Del Rio, J.A. and Lopez-Garcia, C., Parvalbumin-immunoreactive neurons in the cerebral cortex of the lizard *Podarcis hispanica*, 339
Mazzocchio, R., see Rossi, A., 62
McAdoo, D.J., see Liu, D., 344
McIntosh, A.R. and Gonzales-Lima, F., Structural modeling of functional neural pathways mapped with 2-deoxyglucose: effects of acoustic startle habituation on the auditory system, 295
McLean Grogan, W., see Ghosh, S., 327
Mihály, A., Oravecz, T., Oláh, Z. and Rapp, U.R., Immunohistochemical localization of raf protein kinase in dendritic spines and spine apparatuses of the rat cerebral cortex, 309
Mikoshiba, K., see Aoki, E., 190
Minkels, R.F., Jüch, P.J.W., ter Horst, G.J. and Van Willigen, J.D., Projections of the parvocellular reticular formation to the contralateral mesencephalic trigeminal nucleus in the rat, 13
Miyoshi, K., see Ueki, A., 99
Monsma Jr., F.J., see Barton, A.C., 199
Mormède, P., see Maccari, S., 7
Moumdjian, R.A., Antel, J.P. and Yong, V.W., Origin of contralateral reactive gliosis in surgically injured rat cerebral cortex, 223
Myllykylä, T., see Rinne, J.O., 167

Nordborg, C., see Grabowsky, M., 249
Nurnberger, F., Lee, T.F., Jourdan, M.L. and Wang, L.C.H., Seasonal changes in methionine-enkephalin immunoreactivity in the brain of a hibernator, *Spermophilus columbianus*, 115

Olivier, A., see Vernet, O., 319
Oláh, Z., see Mihály, A., 309
Oravecz, T., see Mihály, A., 309
Oreland, L., see Jossan, S.S., 69
Ouznadji, H., see Heurteaux, C., 122
Ouznadji, S., see Heurteaux, C., 122

Parlanti, S., see Rossi, A., 62
Passafaro, M., see Tarelli, F.T., 331
Pettorossi, V.E., see Bortolami, R., 82
Piazza, P.V., see Maccari, S., 7
Proudfit, H.K., see Clark, F.M., 279

Rapp, U.R., see Mihály, A., 309
Richfield, E.K., see Herkenham, M., 267
Rinaudo, M.S., see Barton, A.C., 199
Rinne, J.O., Myllykylä, T., Lönnberg, P. and Marjamäki, P., A postmortem study of brain nicotinic receptors in Parkinson's and Alzheimer's disease, 167
Ripoll, C., see Heurteaux, C., 122
Rossi, A., Mazzocchio, R. and Parlanti, S., Cortical projection of putative group Ib afferent fibres from the human forearm, 62
Rostworowski, K., see Vernet, O., 319
Rothwell, N.J., see Le Feuvre, R.A., 110

Saito, H., see Abe, K., 171
Santos, M.S., Gonçalves, P.P. and Carvalho, A.P., Release of γ-[^{3}H]aminobutyric acid from synaptosomes: effect of external cations and of ouabain, 135
Sawchenko, P.E., see Imaki, J., 28
Schwarting, G.A. and Crandall, J.E., Subsets of olfactory and vomeronasal sensory epithelial cells and axons revealed by monoclonal antibodies to carbohydrate antigens, 239
Schwartzman, R.J., see Alexander, G.M., 181
Semba, R., see Aoki, E., 190
Sher, E., see Tarelli, F.T., 331
Sherwin, A.L., see Vernet, O., 319
Sibley, D.R., see Ariano, M.A., 208
Sibley, D.R., see Barton, A.C., 199
Simon, H., see Maccari, S., 7
Smulowitz, M., see Anderson, J.P., 353
Sohn, E., see Maggio, R., 1
Soja, P.J., see Chirwa, S.S., 323
Soriano, E., see Martinez-Guijarro, F.J., 339
Stafford-Segert, I., see Chirwa, S.S., 323
Stewart-Fram, R.M., see Barton, A.C., 199
Stock, M.J., see Le Feuvre, R.A., 110
Strickland, C.E., see Thomas, E., 303
Szallasi, A. and Blumberg, P.M., Characterization of vanilloid receptors in the dorsal horn of pig spinal cord, 335

Tabakoff, B., see Gulya, K., 129
Tarelli, F.T., Passafaro, M., Clementi, F. and Sher, E., Presynaptic localization of ω-conotoxin-sensitive calcium channels at the frog neuromuscular junction, 331
Ter Horst, G.J., see Minkels, R.F., 13
Teyler, T.J., see Lambert, N.A., 349
Thangnipon, W., see Liu, D., 344
Thellier, M., see Heurteaux, C., 122
Thomas, E., Yadin, E. and Strickland, C.E., Septal unit activity during classical conditioning: a regional comparison, 303
Tremblay, L., see Filion, M., 142
Tremblay, L., see Filion, M., 152

Ueki, A. and Miyoshi, K., Reversal of learning impairment in ventral globus pallidus-lesioned rats by combination of continuous intracerebroventricular choline infusion and oral cholinergic drug administration, 99

Vale, W., see Imaki, J., 28
Valverius, P., see Gulya, K., 129
Van Willigen, J.D., see Minkels, R.F., 13
Van der Roest, M., see Wildering, W.C., 89
Vernet, O., Yong, V.W., Rostworowski, K., Fadich, M., Olivier, A. and Sherwin, A.L., Protein kinase C activity and intracellular distribution in surgically excised human epileptic neocortex, 319
Verney, C., see Febvret, A., 37

Wang, L.C.H., see Nurnberger, F., 115
Wei, J.-Y., see He, S.-F., 258
Wildering, W.C., Van der Roest, M., De Vlieger, T.A. and Janse, C., Age-related changes in junctional and non-junctional conductances in two electrically coupled peptidergic neurons of the mollusc *Lymnaeastagnalis*,89

Wimer, C.C., see Wimer, R.E., 275
Wimer, R.E., Wimer, C.C., Alameddine, L. and Cohen, A.J., The mouse gene retinal degeneration (*rd*) may reduce the number of neurons present in the adult hippocampal dentate gyrus, 275
Wissocq, J.-C., see Heurteaux, C., 122
Woods, A.J., see Le Feuvre, R.A., 110

Xie, F.-J., see Abe, K., 171

Yadin, E., see Thomas, E., 303
Yong, V.W., see Moumdjian, R.A., 223
Yong, V.W., see Vernet, O., 319

Zivin, J.A., see Madden, K.P., 193

(contents continued)

Baclofen-induced disinhibition in area CA1 of rat hippocampus is resistant to extracellular Ba^{2+}
N.A. Lambert, N.L. Harrison and T.J. Teyler (U.S.A.) 349

A possible mechanism of action of the neurotoxic agent iminodiproprionitrile (IDPN): a selective aggregation of the medium and heavy neurofilament polypeptides (NF-M and NF-H)
J.P. Anderson, Z. Carroll, M. Smulowitz and I. Lieberburg (U.S.A.) 353

Author Index 358